

Finished Size of Project: **64" x 72" (162.56cm x 182.88cm)**

Fabric Collection Name and Designer: **Patriotic Pop by Color Principle**

Technique: **Pieced**


Project Designed by: **Matthew Pridemore of The Whimsical Workshop**

Skill Level: **Intermediate**

Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Flag Panel - 24x44	Multi-Red White and Blue	3478P-87	1 panel (0.61m)
(B) Modern Melody Basics	Pigment White	1063-01W	1 $\frac{3}{8}$ yards (1.26m)
(C) Stars	Navy	3476-77	2 $\frac{1}{4}$ yards (2.06m)
(D) Gradient Stars & Stripes	Multi-Red White and Blue	3475-87	1 yard (0.91m)
(E) Streaming Stripes	Red and White	3477-81	$\frac{7}{8}$ yard (0.80m)
(F) Starry Medallions	Navy	3473-77	$\frac{1}{4}$ yard (0.23m)
(G) Modern Melody Basics	Navy	1063-77	$\frac{5}{8}$ yard (0.57m)*

* includes binding



(A)



(B)



(C)



(D)



(E)



(F)



(G)

Backing (Purchased Separately)

44" (1.12m) wide

Scrolling Stars

Navy

3474-77

4 yards (3.66m)



Backing
44"

Additional Materials:

- Batting 72" x 80"
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Cutting Instructions

Notes:

- Please make sure to check henryglassfabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.
- *Strips cut Length of Fabric (LOF)

Fabric A, fussy cut:

- (1) 42½" x 22½" rectangle, centered on the panel

Fabric B, cut:

- (2) 3" x WOF strips; sub-cut
 - (2) 3" x 22½" strips
- (2) 2⅞" x WOF strips; sub-cut
 - (16) 2⅞" squares
- (2) 2½" x WOF strips; sub-cut
 - (16) 2½" x 4½" strips
- (3) 2½" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 - (2) 2½" x 58½" strips
- (3) 2½" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 - (2) 2½" x 54½" strips
- (3) 2" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 - (2) 2" x 47½" strips
- (3) 1½" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 - (2) 1½" x 48½" strips

Fabric C, cut:

- (3) 4½" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 - (2) 4½" x 48½" strips and (4) 4½" squares
- (2) 5½" x 62½" LOF strips*
- (2) 24½" x 1½" LOF strips*

From the remaining fabric cut:

- (2) 5½" x 64½" WOF strips, piece as needed
- (4) 1½" x 48½" WOF strips, piece as needed

Fabric D, fussy cut:

- (16) 12½" x 2½" WOF strips from the red section
- (4) 20½" x 2½" WOF strips from the blue section
- (4) 12½" x 2½" WOF strips from the blue section

Fabric E, cut:

- (1) 4½" x WOF strip; sub-cut
 - (2) 4½" x 12½" strips
- (1) 2⅞" x WOF strip; sub-cut
 - (4) 2⅞" squares
- (2) 2½" x WOF strips; sub-cut
 - (32) 2½" squares
- (3) 1½" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 - (2) 1½" x 48½" strips
- (3) 1½" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 - (2) 1½" x 56½" strips
- (3) 1½" x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 - (2) 1½" x 50½" strips

Fabric F, cut:

- (1) 2⅞" x WOF strip; sub-cut
 - (12) 2⅞" squares

Fabric G, cut:

- (8) 2½" x WOF strips for the binding

Backing, cut:

- (2) 72" x WOF strips. Sew the strips together and trim to make the 72" x 80" back

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Sewing

- Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

Block Assembly

1. Sew (1) $3'' \times 22\frac{1}{2}''$ Fabric B strip to each side of the $42\frac{1}{2}'' \times 22\frac{1}{2}''$ Fabric A rectangle. Sew (1) $2'' \times 47\frac{1}{2}''$ Fabric B strip to the top and bottom of the Fabric A rectangle to make the Unit 1 rectangle (Fig. 1).

Trim the unit to measure $46\frac{1}{2}'' \times 24\frac{1}{2}''$.




Fig. 1

2. Sew (1) $1\frac{1}{2}'' \times 24\frac{1}{2}''$ Fabric C strip to each side of the Unit 1 rectangle to make the $48\frac{1}{2}'' \times 24\frac{1}{2}''$ Center Block (Fig. 2).




Fig. 2

3. Center (1) $2\frac{1}{2}'' \times 12\frac{1}{2}''$ Fabric D (red) strip on (1) side of (1) $4\frac{1}{2}''$ Fabric C square and pin in place. Start sewing the strip a $\frac{1}{4}''$ from the top edge of the block and stop a $\frac{1}{4}''$ from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

4. Repeat Step 3 to sew (1) $2\frac{1}{2}'' \times 12\frac{1}{2}''$ Fabric D (red) strip to the top and to the bottom of the Fabric C square, making sure to stop and start $\frac{1}{4}''$ away from each end of the block. To miter each corner, fold the block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 3).

5. Starting at the sewn seam (represented by the arrow in Figure 3), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a $\frac{1}{4}''$ seam. Repeat this step with the remaining corners to make (1) $8\frac{1}{2}''$ Block One square (Fig. 4).

6. Repeat Steps 3-5 to make (4) Block One squares total.




Fig. 3




Fig. 4

7. Center (1) $2\frac{1}{2}'' \times 12\frac{1}{2}''$ Fabric D (blue) strip on (1) side of (1) $12\frac{1}{2}'' \times 4\frac{1}{2}''$ Fabric E strip and pin in place. Start sewing the strip a $\frac{1}{4}''$ from the top edge of the block and stop a $\frac{1}{4}''$ from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

8. Repeat Step 7 to sew (1) $2\frac{1}{2}'' \times 20\frac{1}{2}''$ Fabric D (blue) strip to the top and to the bottom of the Fabric E strip, making sure to stop and start $\frac{1}{4}''$ away from each end of the block. To miter each corner, fold the block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 5).




Fig. 5

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

9. Starting at the sewn seam (represented by the arrow in Figure 5), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a 1/4" seam. Repeat this step with the remaining corners to make (1) 16 1/2" x 8 1/2" Block Two rectangle (Fig. 6).




Fig. 6

10. Repeat Steps 7-9 to make a second Block Two rectangle.

11. Place (1) 2 7/8" Fabric E square on top of (1) 2 7/8" Fabric B square, right sides together. Draw a line across the diagonal of the top square from the upper right corner to the lower left corner (Fig. 7). Sew 1/4" away from each side of the drawn diagonal line (Fig. 7). Cut the (2) squares apart on the drawn diagonal line (Fig. 8) to make (2) half-square triangles. Trim the half-square triangles to measure 2 1/2" square to make (1) Unit 2A square and (1) Unit 2B square (Fig. 9). Repeat to make (4) sets of Unit 2 squares total.



Fig. 7



Fig. 8




Fig. 9

12. Place (1) 2 7/8" Fabric F square on top of (1) 2 7/8" Fabric B square, right sides together. Draw a line across the diagonal of the top square. Sew 1/4" away from each side of the drawn diagonal line. Cut the (2) squares apart on the drawn diagonal line to make (2) half-square triangles. Trim the half-square triangles to measure 2 1/2" square to make (2) Unit 3 squares (Fig. 10). Repeat to make (24) Unit 3 squares total.




Fig. 10

13. Sew (1) Unit 2A square to the left side of (1) Unit 3 square to make the top row. Sew (1) Unit 3 square to the left side of (1) Unit 2B square to make the bottom row. Sew the (2) rows together lengthwise to make (1) 4 1/2" Unit 4 square (Fig. 11). Repeat to make (4) Unit 4 squares total.



Fig. 11

14. Place (1) 2 1/2" Fabric E square on the left side of (1) 2 1/2" x 4 1/2" Fabric B strip, right sides together (Fig. 12). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 12). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance (Fig. 13).



Fig. 12




Fig. 13

15. Place another 2 1/2" Fabric E square on the right side of the 2 1/2" x 4 1/2" Fabric B strip, right sides together (Fig. 14). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 14). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) Unit 5 strip (Fig. 15).




Fig. 14




Fig. 15

16. Repeat Steps 14-15 to make (16) Unit 5 strips total.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

17. Sew (1) Unit 3 square to each end of (1) Unit 5 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 5 strip to each side of (1) Unit 4 square to make the middle row. Sew together the (3) rows lengthwise to make (1) 8½" Block Three square (Fig. 16). Repeat to make (4) Block Three squares total.




Fig. 16

18. Sew together (1) Block One square, (1) Block Three square, (1) Block Two rectangle, (1) Block Three square and (1) Block One square in that order from left to right. Sew (1) 1½" x 48½" Fabric C strip to the top and to the bottom of the newly sewn strip lengthwise to make the Inner Top Border (Fig. 17). Repeat to make the Inner Bottom Border.




Fig. 17

19. Sew together (1) 4½" x 48½" Fabric C strip, (1) 1½" x 48½" Fabric E strip and (1) 1½" x 48½" Fabric B strip, lengthwise and in that order from top to bottom, to make the Outer Top Border (Fig. 18).




Fig. 18

20. Sew together (1) 1½" x 48½" Fabric B strip, (1) 1½" x 48½" Fabric E strip and (1) 4½" x 48½" Fabric C strip, lengthwise and in that order from top to bottom, to make the Outer Bottom Border (Fig. 19).




Fig. 19

Quilt Top Assembly

Follow the Quilt Layout (Page 7) while assembling the quilt top.

21. Sew the Inner Top Border and the Inner Bottom Border to the top and to the bottom of the Center Block.

22. Sew the Outer Top Border and the Outer Bottom Border to the top and to the bottom of the Center Block.

23. Sew (1) 1½" x 56½" Fabric E strip to each side of the Center Block. Sew (1) 1½" x 50½" Fabric E strip to the top and bottom of the Center Block.

24. Sew (1) 2½" x 58½" Fabric B strip to each side of the Center Block. Sew (1) 2½" x 54½" Fabric B strip to the top and bottom of the Center Block.

25. Sew (1) 5 ½" x 62 ½" Fabric C strip to each side of the Center Block. Sew (1) 5½" x 64½" Fabric C strip to the top and bottom of the Center Block to make the quilt top.

Layering, Quilting and Finishing


26. Press the quilt top and 72" x 80" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

27. Cut the ends of the (8) Fabric G binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

28. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.

Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.